

EL600T

Elypso Smart Thermostat



About this product...

The SALUS EL600T Smart Thermostat works all products in the SALUS Smart Home range, forming a comprehensive solution for modern heating management. As part of the SALUS Smart Home product line, this thermostat allows users to control their heating from anywhere using the SALUS Premium App. By adding additional TRV3RF valves to radiators throughout the home, users gain complete control over their heating system, enabling them to customize temperatures in different rooms according to their needs. Connecting via the universal gateway (UG800 or UGE600) and user-friendly app interface, the ELYPSO system makes it easy to adjust settings remotely, ensuring optimal comfort and energy efficiency at all times. This targeted heating approach not only enhances comfort but also helps save energy and reduce costs by heating only the necessary rooms.





Features

- Internet Connected Thermostat
- Wi-Fi Connectable via bluetooth connection
- Thermostat has rechargeable battery - wireless recharging via dock station
- Local access to change most parameters - no local schedule
- Full Remote Control via SALUS Smart Premium App
- Shut down mode and optimization features - Optimum start and stop
- Always on display if installed on docking station
- Lock/Unlock function
- Part of the SALUS Smart Home range
- Control additional TRV3RF radiator valves (Up to 16)

Specification

Connectivity	Zigbee 2.4GHz
Input Power:	Battery powered Thermostat
Press button:	Menu access / Validation
Dial Button:	Scrolling through options
Battery	750mAh Lithium-Ion (Rechargeable)
Charge Time:	24Hr max without always on feature 48Hr max with always on feature
Dimensions:	65mm Diameter 25.6mm Deep
Guarantee:	5 Years

Dimensions



EL600T Smart Thermostat - Technical Data

Electrical and Mechanical Specifications

Connectivity	Local communication via Zigbee 2.4GHz
Input Power	Battery powered Thermostat
Press button	Menu access / Validation
Dial Button	Scrolling through options
Battery	750mAh Lithium-Ion (rechargeable)
Charge Time	24Hr max without always on feature / 48Hr max with always on feature
Dimensions	65mm Diameter / 25.6mm Deep
Material (Housing)	Aluminium Body, Sleek Matt Glass Face
Operating Temperature	0°C to +50°C
Storage Temperature	-30°C to +40°C
Installation	Surface (Includes both circular and square mounting bezels) or Desktop mounting
Safety Approval	Class I
Temperature Calibration	Thermostat temperature calibration feature
Optimal Start / Stop	Optimum Start / Stop feature
Customer Alerts	Email / Text alert notifications
Display Resolutions	Selectable temperature display resolutions
Landlord Function	Thermostat lockable via App
Dual Control	Controls both heating and cooling systems
App Control	Subscription-free access to Premium Lite app
Local Control	Dial Button Scrolling through options
Local Access	Limited Local Menu access with push button selection
Charging period	24 hours each 1 to 2 years
Charging	Via charging dock with USB type C connection
Protocol	Selectable heating and cooling control algorithms including TPI
Compatability	UK Boiler Plus compatible
Pairing	Compatible with Smart Home devices
Control	Control locally or remotely via SALUS Premium Lite App
Guarantee	5 Years

Control & Monitor from anywhere...

With the SALUS Premium Lite App.
Download it from Google Play or the App Store.




Wall mounted or Desktop ...

The SALUS EL600T Smartphone controlled thermostat offers versatile installation options, allowing it to be either wall-mounted using the square or round mounting plate or placed on a desktop using the USB docking station.



Control via the App...

Default screen is the thermostat only.



Scan QR Code to View Product on Website