

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 7. 7. 2025. Datum obrade: 7. 7. 2025. Supersedes version of: 10. 10. 2024. Verzija: 8.0

ODJELJAK 1: Identifikacija tvari/smjese i podaci o društvu/preduzeću

1.1. Identifikator proizvoda

Proizvod u obliku : Smjesa
 Naziv proizvoda : LX1 System Guard Inhibitor 500ml
 UFI : PR20-H0S6-P00W-7WAG
 Type of product : Solution
 Product group : Trade product
 Drugi nazivi : EAN13: 5060103691401

1.2. Relevantne identificirane upotrebe supstanci ili smjese i upotrebe koje se ne preporučuju.

Relevantne identificirane upotrebe

Intended for general public
 Main use category : Professional use, Consumer use
 Use of the substance/mixture : Corrosion inhibitors
 scale inhibitor
 Function or use category : Corrosion inhibitors

1.3. Detalji o dobavljaču sigurnosnog lista

Dobavljač

SALUS Controls plc
 Unit 8-10
 Northfield Business Park
 Forge Way, Parkgate
 S60 1SD Rotherham
 U.K.
 T +44 1226 323994

tech@salus-tech.com, salus-controls.com

Distributor

Salus Nordic
 Knusminder 18 gate 2
 8300 Odder
 Denmark
mail@salus-controls.dk, www.saluscontrols.com

Proizvođač

Lettergold Water Treatment Solutions LLP
 Unit 4
 Hammond Close
 CB8 0AZ Newmarket, Suffolk
 United Kingdom
 T +44(0)1638666888 Helpline +44(0)8458806050, F +44(0)1638666999
SDS@Lettergold.co.uk, www.Lettergold.co.uk

Distributor

SALUS CONTROLS ROMANIA SRL
 str. Traian Vuia, nr. 126
 RO CLUJ
 Romania
 T +40 364 435 696
office@saluscontrols.ro, www.saluscontrols.ro

Distributor

Salus Controls European Distributions sp. z o. o
 ul. Sokolska 68 A-B street
 Sosnowiec
 Poland
www.saluscontrols.com

Distributor

SALUS Controls GmbH
 Dieselstrasse 34
 63165 Muhlheim am Main
 Germany
info@salus-controls.de

1.4. Broj telefona za hitne slučajeve

Država/područje	Organizacija/preduzeće	Adresa	Broj hitne pomoći	Komentar
Bosnia & Hercegovina	hitna pomoc		124	Ambulance
Bosnia i Hercegovina	Poison Control Centre	Dr Mustafe Pintola 1/I Sarajevo 71 000	38733762606	24hrs

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ODJELJAK 2: Identifikacija opasnosti

2.1. Klasifikacija supstanci ili smjese

Klasifikacija prema Uredbi (EZ) br. 1272/2008 [CLP]

Nije klasifikovano

Štetni fiziohemijski rizici, rizici za ljudsko zdravlje i okoliš

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Elementi označavanja

Označavanje prema Uredbi (EZ) br. 1272/2008 [CLP]

- Precautionary statements (CLP)
- : P102 - Čuvati izvan dohvata djece.
P501 - Odložiti contents/container na tačka za sakupljanje opasnog ili specijalnog otpada, u skladu sa lokalnim, regionalnim, nacionalnim i/ili međunarodnim propisima.
- EUH fraze
- : EUH210 - Sigurnosni list dostupan na zahtjev.

2.3. Ostale opasnosti

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

ODJELJAK 3: Sastav/informacije o sastojcima

3.2. Smjese

Naziv	Identifikator proizvoda		Klasifikacija prema Uredbi (EZ) br. 1272/2008 [CLP]
2,2',2"-nitrilotriethanol	CAS br.: 102-71-6 EC br.: 203-049-8 REACH br.: 01-2119486482-31	< 5	Nije klasifikovano
Disodium molybdate	CAS br.: 7631-95-0 EC br.: 231-551-7 REACH br.: 01-2119489495-21	< 5	Nije klasifikovano
MPG (propane-1,2-diol)	CAS br.: 57-55-6 EC br.: 200-338-0 REACH br.: 01-2119456809-23, UK-01-6702687939-4	< 2	Nije klasifikovano
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS br.: 2634-33-5 EC br.: 220-120-9 EC INDEKS br.: 613-088-00-6 REACH br.: 01-2120761540-60	< 0,004	Acute Tox. 4 (oralno), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specifične granice koncentracije:		
Naziv	Identifikator proizvoda	Specifične granice koncentracije (%)
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS br.: 2634-33-5 EC br.: 220-120-9 EC INDEKS br.: 613-088-00-6 REACH br.: 01-2120761540-60	(0,036 ≤ C ≤ 100) Skin Sens. 1A; H317

Pun tekst H i EUH oznaka: vidi odjeljak 16

ODJELJAK 4: Mjere prve pomoći

4.1. Opis postupka prve pomoći

Opće mjere prve pomoći	: If you feel unwell, seek medical advice. If medical advice is needed, have product container or label at hand.
Mjere prve pomoći nakon udisanja	: Remove person to fresh air and keep comfortable for breathing.
Mjere prve pomoći nakon dodira s kožom	: Wash skin with plenty of water.
Mjere prve pomoći nakon dodira s očima	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse eyes with water as a precaution.
Mjere prve pomoći nakon gutanja	: Call a poison center or a doctor if you feel unwell.

4.2. Najvažniji simptomi i efekti, akutni i odgođeni

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.

4.3. Indikacija da je potrebna hitna medicinska pomoć i poseban tretman

Treat symptomatically.

ODJELJAK 5: Mjere za suzbijanje požara

5.1. Sredstva za gašenje

Odgovarajuća sredstva za gašenje	: Water spray. Dry powder. Foam. Carbon dioxide.
----------------------------------	--

5.2. Posebne opasnosti koje proizlaze iz supstance ili smjese

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Savjeti za vatrogasce

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

ODJELJAK 6: Mjere prilikom slučajnog ispuštanja

6.1. Lične mjere opreza, zaštitna oprema i postupci u hitnim slučajevima

Za osobe koje se ne ubrajaju u interventno osoblje

Zaštitna oprema	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area.

Za interventno osoblje

Zaštitna oprema	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Cover spill with non combustible material, e.g.: sand/earth.

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Mjere zaštite životne sredine

Avoid release to the environment.

6.3. Metode i materijal za ograničavanje i čišćenje

Methods for cleaning up : Take up liquid spill into absorbent material.
Ostale informacije : Dispose of materials or solid residues at an authorized site.

6.4. Upućivanje na druge odjeljke

For further information refer to section 13.

ODJELJAK 7: Rukovanje i skladištenje

7.1. Mjere opreza za sigurno rukovanje

Mjere opreza za sigurno rukovanje : Ensure good ventilation of the work station. Wear personal protective equipment.
Higijenske mjere : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Uslovi sigurnog skladištenja, uzimajući u obzir moguće inkompatibilnosti

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specifična krajnja upotreba(e)

Dodatne informacije nisu dostupne

ODJELJAK 8: Nadzor izloženosti/lična zaštita

8.1. Kontrolni parametri

DNEL and PNEC

2,2',2"-nitrioltriethanol (102-71-6)	
DNEL/DMEL (radnici)	
Long-term - systemic effects, dermal	7,5 mg/kg bodyweight/day
Long-term - local effects, dermal	140 µg/cm²
Long-term - local effects, inhalation	1 mg/m³
DNEL/DMEL (opšta populacija)	
Long-term - systemic effects, oral	3,3 mg/kg bodyweight/day
Long-term - systemic effects, dermal	2,66 mg/kg bodyweight/day
Long-term - local effects, dermal	70 µg/cm²
Long-term - local effects, inhalation	0,4 mg/m³
PNEC (voda)	
PNEC aqua (freshwater)	0,32 mg/l
PNEC aqua (marine water)	0,032 mg/l
PNEC aqua (intermittent, freshwater)	5,12 mg/l
PNEC (sediment)	
PNEC sediment (freshwater)	1,7 mg/kg dwt
PNEC sediment (marine water)	0,17 mg/kg dwt

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,2',2''-nitritotriethanol (102-71-6)	
PNEC (tlo)	
PNEC tlo	0,151 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Disodium molybdate (7631-95-0)	
DNEL/DMEL (radnici)	
Long-term - systemic effects, inhalation	23,97 mg/m³
DNEL/DMEL (opšta populacija)	
Long-term - systemic effects, oral	7,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	7,15 mg/m³
PNEC (voda)	
PNEC aqua (freshwater)	25,5 mg/l
PNEC aqua (marine water)	4,89 mg/l
PNEC (sediment)	
PNEC sediment (freshwater)	45300 mg/kg dwt
PNEC sediment (marine water)	5080 mg/kg dwt
PNEC (tlo)	
PNEC tlo	20,39 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	46,57 mg/l
MPG (propane-1,2-diol) (57-55-6)	
DNEL/DMEL (radnici)	
Long-term - systemic effects, inhalation	168 mg/m³
Long-term - local effects, inhalation	10 mg/m³
DNEL/DMEL (opšta populacija)	
Long-term - systemic effects, inhalation	50 mg/m³
Long-term - local effects, inhalation	10 mg/m³
PNEC (voda)	
PNEC aqua (freshwater)	260 mg/l
PNEC aqua (marine water)	26 mg/l
PNEC aqua (intermittent, freshwater)	183 mg/l
PNEC (sediment)	
PNEC sediment (freshwater)	572 mg/kg dwt
PNEC sediment (marine water)	57,2 mg/kg dwt
PNEC (tlo)	
PNEC tlo	50 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	20000 mg/l

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Kontrola izloženosti

Appropriate engineering controls

Odgovarajuće inženjerske kontrole:

Ensure good ventilation of the work station.

Personal protection equipment

Simbol(i) lične zaštitne opreme:



Eye and face protection

Zaštita za oči:

Safety glasses (EN 166). Safety glasses

Skin protection

Zaštita kože i tijela:

Wear suitable protective clothing

Zaštita ruku:

Protective gloves against chemicals (EN 374)

Respiratory protection

Zaštita organa za disanje:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

ODJELJAK 9: Fizikalna i hemijska svojstva

9.1. Podaci o osnovnim fizičkim i hemijskim svojstvima

Fizičko stanje	: Liquid
Boja	: light yellow.
Izgled	: Liquid.
Miris	: mild. aromatic.
Prag mirisa	: Nije dostupno
Melting point	: Nije primjenjivo
Freezing point	: Nije dostupno
Boiling point	: Nije dostupno
Zapaljivost	: Non flammable.
Lower explosion limit	: Nije dostupno
Upper explosion limit	: Nije dostupno
Tačka paljenja	: Nije dostupno
Temperatura samopaljenja	: Nije dostupno
Temperatura raspadanja	: Nije dostupno
pH	: ≈ 8,2 (8 – 8,5)
Viskoznost, kinematička	: Nije dostupno
Rastvorljivost	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Nije dostupno
Pritisak pare	: Nije dostupno
Pritisak pare na 50 °C	: Nije dostupno
Gustoća	: Nije dostupno
Relativna gustoća	: ≈ 1,08 (1,05 – 1,1)
Relativna gustoća pare kod 20 °C	: Nije dostupno
Svojstva čestica	: Nije primjenjivo

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Ostale informacije

Dodatne informacije nisu dostupne

ODJELJAK 10: Stabilnost i reaktivnost

10.1. Reaktivnost

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Hemijska stabilnost

Stable under normal conditions.

10.3. Mogućnost opasnih reakcija

No dangerous reactions known under normal conditions of use.

10.4. Uslovi koje treba izbjegavati

None under recommended storage and handling conditions (see section 7).

10.5. Nekompatibilni materijali

Dodatne informacije nisu dostupne

10.6. Opasni proizvodi raspadanja

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

ODJELJAK 11: Toksikološke informacije

11.1. Informacije o klasama opasnosti kako je definisano u Uredbi (EC) br. 1272/2008

Akutna toksičnost (oralna) : Nije klasifikovano
Akutna toksičnost (dermalna) : Nije klasifikovano
Akutna toksičnost (udisanje) : Nije klasifikovano

2,2',2"-nitrilotriethanol (102-71-6)	
LD50 oral rat	6400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Disodium molybdate (7631-95-0)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
MPG (propane-1,2-diol) (57-55-6)	
LD50 oral rat	22000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 44,9 mg/l air Animal: rat, Guideline: other:
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Nagrizanje/iritacija kože : Nije klasifikovano
pH: ≈ 8,2 (8 – 8,5)
Ozbiljno oštećenje/iritacija oka : Nije klasifikovano
pH: ≈ 8,2 (8 – 8,5)
Senzibilizacija disajnih puteva ili kože : Nije klasifikovano
Mutagenost polnih ćelija : Nije klasifikovano
Kancirogenost : Nije klasifikovano

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,2',2''-nitritotriethanol (102-71-6)	
NOAEL (chronic, oral, animal/male, 2 years)	63 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)

Reproduktivna toksičnost : Nije klasifikovano

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
NOAEL (animal/female, F1)	56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

STOT-jednokratna ekspozicija : Nije klasifikovano

STOT-ponovljeno izlaganje : Nije klasifikovano

2,2',2''-nitritotriethanol (102-71-6)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Disodium molybdate (7631-95-0)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0,1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

MPG (propane-1,2-diol) (57-55-6)	
NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male

Opasnost od udisanja : Nije klasifikovano

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
Viskoznost, kinematička	Nije primjenjivo

11.2. Informacije o drugim opasnostima

Dodatne informacije nisu dostupne

ODJELJAK 12: Ekološke informacije

12.1. Toksičnost

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Opasno po vodenu sredinu, kratkotrajno (akutno) : Nije klasifikovano

Hazardous to the aquatic environment, long-term (chronic) : Nije klasifikovano

2,2',2''-nitritotriethanol (102-71-6)	
LC50 - Fish [1]	11800 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	609,88 mg/l Test organisms (species): Ceriodaphnia dubia
EC50 72h - Algae [1]	512 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	216 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC hronično - riba	> 1 mg/l Test organisms (species): other:

MPG (propane-1,2-diol) (57-55-6)	
LC50 - Fish [1]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	51400 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	24200 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MPG (propane-1,2-diol) (57-55-6)	
EC50 72h - Algae [2]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [1]	19000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	19100 mg/l Test organisms (species): Skeletonema costatum

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
LC50 - Fish [1]	≈ 16,7 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	2,15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2,94 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	2,9 mg/l Test organisms (species): Daphnia magna

12.2. Postojanost i razgradljivost

LX1 System Guard Inhibitor 500ml	
Postojanost i razgradljivost	Nije brzo razgradivo
2,2',2''-nitrilotriethanol (102-71-6)	
Postojanost i razgradljivost	Nije brzo razgradivo
Disodium molybdate (7631-95-0)	
Postojanost i razgradljivost	Nije brzo razgradivo
MPG (propane-1,2-diol) (57-55-6)	
Postojanost i razgradljivost	Nije brzo razgradivo
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
Postojanost i razgradljivost	Nije brzo razgradivo

12.3. Bioakumulativni potencijal

Dodatne informacije nisu dostupne

12.4. Mobilnost u tlu

Dodatne informacije nisu dostupne

12.5. Rezultati PBT i vPvB procjene

Dodatne informacije nisu dostupne

12.6. Svojstva endokrinog poremećaja

Dodatne informacije nisu dostupne

12.7. Ostali neželjeni efekti

Dodatne informacije nisu dostupne

ODJELJAK 13: Odlaganje

13.1. Metode tretmana otpada

Metode tretmana otpada : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Clean with water.

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ODJELJAK 14: Informacije o prijevozu

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN broj ili ID broj				
Nije primjenjivo	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN točno ime otpreme po UN				
Nije primjenjivo	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Klasa(e) opasnosti u transportu				
Nije primjenjivo	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Grupa ambalaže				
Nije primjenjivo	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Opasnosti za okoliš				
Nije primjenjivo	Not regulated	Not regulated	Not regulated	Not regulated

14.6. Posebne mjere opreza za korisnika

Kopneni transport

Nije primjenjivo

Prijevoz morem

Not regulated

Zračni transport

Not regulated

Transport unutrašnjim plovnim putevima

Not regulated

Željeznički transport

Not regulated

14.7. Pomorski transport u rasutom stanju prema IMO instrumentima

Nije primjenjivo

ODJELJAK 15: Informacije o propisima

15.1. Sigurnosni, zdravstveni i ekološki propisi/zakoni specifični za supstancu ili smjesu

EU-propisi

REACH Aneks XVII (Lista ograničenja)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Aneks XIV (Lista odobrenja)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Propis o POP (postojani organski zagađivači)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Uredba o ozonu (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Uredba o dvojnoj namjeni (428/2009)

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Triethanolamine (102-71-6).

Uredba o prekursorima eksploziva (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Uredba o prekursorima droga (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

ODJELJAK 16: Ostale informacije

Indikacija promjena		
Odjeljak	Promijenjena stavka	Komentari
	Supersedes version of	Added
	Datum obrade	Added

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC br.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development

LX1 System Guard Inhibitor 500ml

Sigurnosno-tehnički list

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
Sigurnosno-tehnički list	Sigurnosno-tehnički list
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Isparljiva organska jedinjenja
CAS br.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Pun tekst H i EUH oznaka:	
Acute Tox. 4 (oralno)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H302	Štetno ako se proguta.
H315	Izaziva iritaciju kože.
H317	Može izazvati alergijsku reakciju kože.
H318	Izaziva teška oštećenja oka.
H400	Vrlo otrovno za vodeni okoliš.
H411	Toksičan za vodeni okoliš s dugotrajnim posljedicama.
EUH210	Sigurnosni list dostupan na zahtjev.

Sigurnosni list (SDS), EU

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable